## **SR4 SERIES**

SR4 offers the state of the art Radio Frequency (RFID), Bluetooth technology and stable mechanical design to ensure guest satisfaction.

SR4 has different handle connection systems that prevents damaging by guests. R4 offers stability with desing.

Anti-Cloning technology, European std mortise options.

Hidden mechanical ovveride key option in case of emergency.



### ELEKTRONİK KİLİT Özellikler

TT

Card & Bluetooth.
Remote access with Gateway

Mechanical Key

Available

Start Time

<1 second

Create Admin Account

Lock Unlocking Method

Unlock via Card

Unlock via Bluetooth from a mobile

Available

6V, 4 pieces of Akalin

Static Power Consumption

<4µA

Dynamic Power Consumption

200 m 1

Operating Temperature

Between -20 °C and 50 °C

Maximum Humidity

≤ %80

Door Thickness

38~60mm







Sensor Distance 3~5cm

Lock Weight 3.5kg


Battery Life 12~16 months

Voltage Alarm Yes

Lock Alarm Available

TTLOCK and TTHOTEL Yes

Model	Mortise (Lock Body) Features					Battery		
SR4	Mortise	Min. Door Thickness	Mortise Depth	Center (mm)	Mortise Thickness	Type	Motor	Weight
E2	Euro	32 mm	85 mm	55 mm	23mm	4xAA	In Mortise	2,30
A3	ANSI	36 mm	90 mm	62 mm	26mm	4xAA	In Mortise	2,30





#### **Gateway / Bridge Features**

- The lock can be remotely managed and unlocked (e.g., from a reception) using Bluetooth, card, or gateway.
- Keys can be created for unlocking the lock from other mobile devices.
- Opening logs can be tracked remotely.
- You can view the lock's battery status remotely.
- All settings are configured via the TTLock and TTHotel software. It is easy to use.
- With the gateway, you can add scenarios to your locks using Google Home Assistant and Amazon Alexa and benefit from the remote voice command unlocking feature.



# SR4 RFID ELECTRONIC LOCKING System Features

- Stable reading speed
- Long Battery Life. Microwave card detection
- Works with paper card, ISO cards, wristbands, keychains etc
- Even dia 14mm paper label cards can be identified
- Powered by 4pcs of Alkaline AA batteries. 2 years battery life
- Led and sound allerts
- Classic Hotel Lock Desing

#### **Body / Lock Features**

- SUS 304 Stainless Steel Body
- Optional Outdoor PVD Coating
- Special Installation System to ensure the stability
- Very easy to maintain.
- Extra Strong Desing
- EUR 55x75 or ANSI Mortise Options
- Compatible with upto 120 min. Fire rated doors
- CE, FCC, ISO
- Anti-Friction Latch
- DND Function and Anti-Panic Function
- Anti-Pick (Theft) Latch
- EUR Std Cylinder for E1-E2 Mortises
- ANSI Special Cylinder for A1-A2 Mortises

